




Carbon Air Filter



3-Way Odor Control™ Electrostatic Air Filter

- 1 Oguard™
- 2 Carbon Media
- 3 Antimicrobial Product Protection

Reduces: Pollen¹, Pet Dander and Odor



Antimicrobial Product Protection™
Antimicrobial ingredients built-in for improved filter life and performance.²

**FILTER MEDIA
LASTS UP TO
90 DAYS**

20 x 25 x 1 inch

actual size | 19.5 x 24.5 x 0.75 in.
49.53 x 62.23 x 1.90 cm



Trim-To-Fit

REUSABLE AIR FILTER GRID

Fits: 14 x 20 x 1 inch
35.56 x 50.80 x 2.54 cm

Up to 20 x 25 x 1 inch
50.80 x 63.50 x 2.54 cm

MADE IN THE USA

Three Ways Better

- 1 Electrostatic filtration traps large dust size particles.
- 2 Adhesive layer reduces microparticle sized irritants.
- 3 Activated carbon reduces odors in your home.

How it Works

Activated carbon is a form of charcoal in which millions of pores are created to absorb odors. An activated carbon layer is combined with a high efficiency filter pad to absorb odors and trap dust.

Electrostatic Efficiency


- 1. Electrostatic filter pad traps pollen, dust, and pet dander sized particles ranging from .245 to 80 microns*
- 2. Infused with activated carbon to help absorb a broad range of common household odors.
- 3. Carbon has been long recognized as a superior means for filtering out impurities either in air or water.

Carbon Effective In Reducing Odors

Carbon has been proven effective in laboratory tests for reducing airborne household gasses or odors like, pet odors, tobacco smoke, paint fumes, formaldehyde fumes from flooring and carpet, common cooking odors.

Why Antimicrobial Product Protection?

Microscopic airborne organisms are often trapped in high performance filters - left untreated they could multiply on unprotected surfaces. The presence of antimicrobial product protection in the filter material is specifically designed to help reduce the uncontrolled growth of odor causing microbes on the surface of the filter. The antimicrobial in this filter has not been tested to reduce airborne microorganisms.




Easy Installation:

Installs in minutes. All you need is a pair of heavy-duty scissors.


Filter Parts Included

- One black/green carbon filter
- One plastic grid
- Five plastic fasteners




Measure & Cut Filter Parts


1. Measure your old filter as a guide for filter size.




2. Using heavy-duty scissors - cut filter pad and plastic grid to appropriate size.



3. Use pointed end of heavy-duty scissors to punch two holes through corner of filter pad.




4. Place filter pad black side against grid. Insert the plastic fastener: open the fastener by spreading the two round ends apart. Thread the two round ends down through the holes in pad, and around plastic grid line.



5. Close the fastener by twisting around the two round ends.



6. Repeat steps 3-5 to position three remaining fasteners.



7. Verify airflow direction of system before installing filter. **Place the filter in your furnace/ac system, grid facing duct tunnel. Airflow enters the green side of the filter pad first. Air should exit the filter through the black carbon side and lastly the plastic grid.**



Responsible Choice

- Reusable system
- Lasts longer and reduces landfill waste
- Made with recycled materials

Reduce waste in our nation's landfills by buying products with a long lifecycle.

Remember to replace filter pad every 90 days.

With all air filter purchases, be sure to refer to your heating/cooling system Owner's Manual to ensure the filter you are about to use is compatible with your system.

WARNING: TO AVOID DANGER OF SUFFOCATION, KEEP THIS FILM AWAY FROM BABIES AND CHILDREN.

Limited Warranty: This product will be free from defects in material and manufacture for a period of one year from date of purchase. If this product is defective, your remedy shall be replacement of the product or refund of the purchase price at PPA Industries Inc., (PPA) option. For warranty service, contact PPA at the address listed on this package. If you do not agree to terms of the warranty, do not use the product and return it for a full refund. **Limitation of Liability:** PPA Industries Inc. will not be liable for any loss or damage arising from the use of this product whether direct, indirect, special, incidental, or consequential. Manufactured and distributed by: **PPA Industries, Inc. Hickory, NC 28601.** In case of emergency, damage, or need of repair, please contact PPA Industries at 888-808-9100 or visit us at our website: www.airfiltration.dupont.com. ©2021 PPA Industries Inc. All rights reserved. DuPont™ and the DuPont Oval logo are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc. used under license by Protect Plus Holdings Corp.

MERV
8

*This filter's performance has been rated MERV 8 based on the minimum efficiency observed during the industry standard ASHRAE #52.2 test. The test is a determination of the filter's ability to trap particles in the air we breathe. These particles range in size from 0.3-10 microns in diameter. Residential filters typically are rated in the range of MERV 1-10. Higher ratings indicate more efficient filters. All MERV data and statements are indicative of typical properties and characteristics obtainable. MERV claims are to be used as a guide for general comparison and not as a specification.

¹ Inanimate

² Manufacturer's internal testing



INSDUPONT-OC-R1