According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

P76U935

BAHAMA BREEZE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance ingredient for use in consumer products.

Not for personal use in this form or concentration.

Intended to be used in the manufacture of products for consumers

1.3 Details of the supplier of the safety data sheet

PPA Industries Inc. 420 3rd Avenue NW Hickory NC 28601 1-888-808-9100

1.4 Emergency telephone number

Emergency Telephone US: 1-800-424-9300

Emergency Telephone Outside US: 1-703-627-3887

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation HCS 2012

Flammable Liquid - Cat. 4	H227
Acute Toxicity (oral) - Cat. 4	H302
Skin Sensitization - Cat. 1	H317
Eye Irritation - Cat.2A	H319
Environmental Hazard (acute) - Cat. 1	H400
Environmental Hazard (chronic) - Cat. 2	H411

Additional information

Full text of listed statements: See section 16

2.2 Label elements

 Revised on : 26 February 2022 / v 11

 Reference : US
 21025286

 Date of printing : 28-JUN-2022

Product : P76U935 - BAHAMA BREEZE

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Hazard pictograms:





Signal Word:

Warning

Hazard Statements:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H227 Combustible liquid H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing mist/vapours.
P264 Wash thoroughly after handling.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

2.3 Other hazards

No data available at this time.

3 COMPOSITION/INFORMATION ON INGREDIENTS

The exact percentage (concentration) of composition has been withheld as a trade secret.

3.2 Mixture

Reference: US

Mixture of aromatic substances.

Contains: GHS Classification:

>= 15.0 < 20.0% Acute Toxicity (oral) - Cat. 4 [H302]

Benzyl Benzoate Environmental Hazard (acute) - Cat. 1 [H400] N° CAS : 0000120-51-4 Environmental Hazard (chronic) - Cat. 2 [H411] N° EINECS: 204-402-9

N° EU REACH: 01-2119976371-33

21025286

Revised on: 26 February 2022 / v 11

Date of printing: 28-JUN-2022

Product: P76U935 - BAHAMA BREEZE

Page 2 / 13

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

>= 7.5 < 10.0%

Hexahydrohexamethylindenopyran

N° CAS: 0001222-05-5 N° EINECS: 214-946-9

N° EU REACH: 01-2119488227-29

>=2.5 < 5.0%

Linalool N° CAS : 0000078-70-6

N° EINECS: 201-134-4

N° EU REACH: 01-2119474016-42

>=2.5 < 5.0%

Heptanoic Acid, 2-Propenyl Ester

N° CAS : 0000142-19-8 N° EINECS: 205-527-1

N° EU REACH: 01-2119488961-23

>=2.5 < 5.0%

2(3h)-Furanone, 5-Heptyldihydro-

N° CAS : 0000104-67-6 N° EINECS: 203-225-4

N° EU REACH: 01-2119959333-34

>=2.5 < 5.0%

3-Octanol, 3,7-Dimethyl-N° CAS: 0000078-69-3 N° EINECS: 201-133-9

N° EU REACH: 01-2119454788-21

>=2.5 < 5.0%

Cyclohexanol, 2-(1,1-Dimethylethyl)-, Acetate

N° CAS : 0000088-41-5 N° EINECS: 243-718-1

N° EU REACH: 01-2119970713-33

>= 1.0 < 2.5%

6-Octen-1-OI, 3,7-Dimethyl-N° CAS: 0000106-22-9 N° EINECS: 203-375-0

N° EU REACH: 01-2119453995-23

>= 1.0 < 2.5%

Reference: US

4-Cyclohexyl-2-Methyl-2-Butanol

N° CAS: 0083926-73-2 N° ELINCS: 420-630-3

N° EU REACH: 01-0000016725-66

21025286

Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 1 [H410]

Skin Sensitization - Cat. 1B [H317]

Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2A [H319]

Flammable Liquid - Cat. 4 [H227]

Acute Toxicity (oral) - Cat. 3 [H301]

Acute Toxicity (dermal) - Cat. 3 [H311]

Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 3 [H412]

Flammable Liquid - Cat. 4 [H227]

Environmental Hazard (chronic) - Cat. 3 [H412]

Skin Sensitization - Cat. 1B [H317]

Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2A [H319]

Flammable Liquid - Cat. 4 [H227]

Environmental Hazard (chronic) - Cat. 2 [H411]

Flammable Liquid - Cat. 4 [H227]

Skin Sensitization - Cat. 1B [H317]

Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2A [H319]

Eye Damage - Cat.1 [H318]

Environmental Hazard (chronic) - Cat. 2 [H411]

Revised on: 26 February 2022 / v 11 Date of printing: 28-JUN-2022

Product: P76U935 - BAHAMA BREEZE

Page 3 / 13

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

>= 1.0 < 2.5%

Hexyl Salicylate

N° CAS: 0006259-76-3 N° EINECS: 228-408-6

N° EU REACH: 01-2119638275-36

>= 1.0 < 2.5%

Hexanoic Acid, Ethyl Ester N° CAS: 0000123-66-0 N° EINECS: 204-640-3

N° EU REACH: 01-2120749104-60

>= 1.0 < 2.5%

2,6-Octadien-1-OI, 3,7-Dimethyl-, (E)-

N° CAS: 0000106-24-1 N° EINECS: 203-377-1

N° EU REACH: 01-2119552430-49

>= 0.5 < 1.0%

Hexanoic Acid, 2-Propenyl Ester

N° CAS: 0000123-68-2 N° EINECS: 204-642-4

N° EU REACH: 01-2119983573-26

>= 0.5 < 1.0%

2,6-Octadien-1-Ol, 3,7-Dimethyl-, Acetate, (Z)-

N° CAS: 0000141-12-8

N° ELINCS: --

N° EU REACH: 01-2120748334-54

>= 0.5 < 1.0%

Cyclohexanepropanoic Acid, 2-Propenyl Ester

N° CAS: 0002705-87-5 N° EINECS: 220-292-5

N° EU REACH: 01-2119976355-27

>= 0.1 < 0.5%

Cyclohexanemethanol, 4-(1-Methylethyl)-, Cis-

N° CAS: 0013828-37-0

N° ELINCS: --

Reference: US

N° EU REACH: 01-2119983532-32

21025286

Skin Sensitization - Cat. 1B [H317]

Environmental Hazard (acute) - Cat. 1 [H400]

Environmental Hazard (chronic) - Cat. 1 [H410]

Skin Irritation - Cat. 2 [H315]

Flammable Liquid - Cat. 3 [H226]

Eye Damage - Cat.1 [H318] Skin Sensitization - Cat. 1 [H317]

Skin Irritation - Cat. 2 [H315]

Acute Toxicity (oral) - Cat. 3 [H301]

Acute Toxicity (dermal) - Cat. 3 [H311] Acute Toxicity (inhalation) - Cat. 3 [H331]

Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 3 [H412]

Flammable Liquid - Cat. 4 [H227]

Skin Sensitization - Cat. 1B [H317]

Skin Sensitization - Cat. 1 [H317]

Acute Toxicity (oral) - Cat. 4 [H302]

Acute Toxicity (dermal) - Cat. 4 [H312]

Acute Toxicity (inhalation) - Cat. 4 [H332]

Environmental Hazard (acute) - Cat. 1 [H400]

Environmental Hazard (chronic) - Cat. 1 [H410]

Skin Sensitization - Cat. 1B [H317]

Skin Irritation - Cat. 2 [H315]

4 / 13

Page

Revised on: 26 February 2022 / v 11 Date of printing: 28-JUN-2022

Product: P76U935 - BAHAMA BREEZE

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

>= 0.1 < 0.5%

Bicyclo[3.1.1]Heptane, 6,6-Dimethyl-2-Methylene-

N° CAS: 0000127-91-3 N° EINECS: 242-060-2 Aspiration Hazard - Cat. 1 [H304] Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315]

Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 1 [H410]

Flammable Liquid - Cat. 3 [H226]

>= 0.1 < 0.5%

2,6-Di-Tert-Butyl-P-Cresol N° CAS : 0000128-37-0 N° EINECS: 204-881-4

N° EU REACH: 01-2119480433-40

Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 1 [H410]

>= 0.1 < 0.5%

3-Cyclohexene-1-Carboxaldehyde, 2,4-Dimethyl-

N° CAS: 0068039-49-6

N° ELINCS: --

N° EU REACH: 01-2119982384-28

Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315]

Environmental Hazard (chronic) - Cat. 2 [H411]

Flammable Liquid - Cat. 4 [H227]

>= 0.1 < 0.5%

Bicyclo[7.2.0]Undec-4-Ene, 4,11,11-Trimethyl-8-

Methylene-, [1r-(1r*,4e,9s*)]-N° CAS : 0000087-44-5 N° EINECS: 201-746-1

N° EU REACH: 01-2120745237-53

Aspiration Hazard - Cat. 1 [H304] Skin Sensitization - Cat. 1B [H317]

>= 0.1 < 0.5%

Acetic Acid, (3-Methylbutoxy)-, 2-Propenyl Ester

N° CAS: 0067634-00-8

N° ELINCS: --

N° EU REACH: 01-2120794630-50

Acute Toxicity (inhalation) - Cat. 2 [H330]

Acute Toxicity (oral) - Cat. 4 [H302] Acute Toxicity (dermal) - Cat. 4 [H312]

Environmental Hazard (acute) - Cat. 1 [H400]

0 < 0.1%

Reference: US

2-Buten-1-One, 1-(2,6,6-Trimethyl-1,3-

Cyclohexadien-1-YI)-N° CAS: 0023696-85-7 N° EINECS: 245-844-2

N° EU REACH: 01-2120105798-49

Skin Sensitization - Cat. 1A [H317]

Skin Irritation - Cat. 2 [H315] Environmental Hazard (chronic) - Cat. 2 [H411]

4 FIRST-AID MEASURES

4.1 Description of first aid measures

21025286

General information:

As in all cases of potential poisoning, Obtain medical advice immediately.

In case of eye contact:

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

Date of printing: 28-JUN-2022 Product: P76U935 - BAHAMA BREEZE

Page 5 / 13

Revised on : 26 February 2022 / v 11

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

In case of inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment. Individuals showing evidence of inhalation exposure should be taken to an uncontaminated area. Obtain medical advice immediately.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water.

If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water.

Obtain medical advise immediately.

Do not induce vomiting, obtain medical advise immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information available on the product itself.

4.3 Indication of immediate medical attention and special treatment needed

None known.

5 FIRE-FIGHTING MEASURES

5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment.

Use standard procedures and preferred extinguishing media as stated below.

Extinguishing media: Foam, carbon dioxide or dry chemical.

5.2 Special hazard arising from the substance or mixture

None.

5.3 Advice for fire-fighters

No specific advice.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Impervious gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of vapour.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel:

Apply the same recommendations as section 6.1

6.2 Environmental precautions

21025286

Reference: US

Revised on: 26 February 2022 / v 11 Date of printing: 28-JUN-2022

Product: P76U935 - BAHAMA BREEZE

6 / 13 Page

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Do not discharge directly into drains, air, into soil or into the aquatic environment.

6.3 Methods and material for containment and cleaning up

For containment:

Small spills can be wiped up with a cloth or paper. Standard absorbents can be used (saw dust, sand, vermiculite). Wear rubber gloves. Avoid contact with skin. If skin contact occurs, wash liberally with soap and water.

For cleaning-up:

Spillages should be disposed of in accordance with Governmental Regulations.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Wear impervious gloves protection and eye/face protection.

No smoking. Avoid any sources of ignition.

Avoid exposing to high temperature during processing.

Do not ingest or apply to the skin as such. Good personal washing routines should be followed.

Maintain adequate local and general ventilation where product is handled.

Protective measures

Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.

Advice on general occupational hygiene

Good personal washing routines should be followed.

7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container.

Respect generals rules for compatibility storage.

7.3 Specific end use(s)

Not available at this time.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

0000128-37-0: 2,6-DI-TERT-BUTYL-P-CRESOL US NIOSH Pocket Guide to Chemical Hazards Data

US. NIOSH: Pocket Guide to Chemical Hazards, as amended

Occupational Exposure Limit data. Recommended exposure limit (REL): 10 mg/m3

0000128-37-0: 2,6-DITERT. BUTYL-P-CRESOL

US OSHA Table Z-1-A Data

Reference: US

US. OSHA Table Z-1-A (29 CFR 1910.1000)

21025286

Revised on : 26 February 2022 / v 11

Date of printing : 28-JUN-2022

Product: P76U935 - BAHAMA BREEZE

Page 7 / 13

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Occupational Exposure Limit data. Time Weighted Average (TWA): 10 mg/m3

0000128-37-0: Butylated hydroxytoluene (BHT), inhalable fraction and vapor

US ACGIH Threshold Limit Values Data

US. ACGIH Threshold Limit Values, as amended

Occupational Exposure Limit data. Time Weighted Average (TWA): 2 mg/m3

Derived No Effect Level (DNEL)

No data available

Predicted No Effect Concentration (PNEC)

No data available

8.2 Exposure controls

Avoid exposing to high temperature during processing.

Maintain adequate local and general ventilation where product is handled.

Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

Environmental exposure controls

Not available at this time. Minimize release to the environment.

Personal protection

Respiratory protection: Breathing of the vapors or dust particles may be hazardous. In the absence of appropriate engineering controls such as spot ventilation, ventilated enclosures, etc., workers should avail themselves of the appropriate NIOSH approved respiratory protection.

Hand protection: Adequate and Impervious Protective Gloves should be worn.

Eye protection: Adequate safety glasses should be used.

Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal clothing. Individual washing routines should be followed after any potential contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: LIQUID

Colour: COLOURLESS TO PALE YELLOW

Odour : Characteristic strong odour according to the

commercial description of the substance.

pH: Not available Melting point/range (°C): Not available Initial boiling point/range (°C): > 40°C

Flash point (closed cup): = 178 Fahrenheit (= 81 Centigrade)

Evaporation rate : Not available Flammability (solid/gas) : Not applicable

Upper/lower flammability or explosive limits: N/A

Vapor pressure (At 20°C in mm Hg):

21025286

Reference: US

Revised on: 26 February 2022 / v 11

Date of printing: 28-JUN-2022

Product: P76U935 - BAHAMA BREEZE

Page 8 / 13

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Calculated vapor pressure (At 20°C in mm Hg): 0.3

Vapour density: Not available Relative density (d 20/20): 0.996 - 1.006 Water solubility (20°C): Not applicable Partition coef. (n-octanol/water): Not applicable Auto-ignition temperature (°C): Not available Not available Decomposition temperature : Viscosity: Not available Explosive properties: Not available Oxidizing properties: Not available

9.2 Other safety information

None

10 STABILITY AND REACTIVITY

10.1 Reactivity

No reaction known with water.

10.2 Chemical stability

Presents no significant reactivity hazard. Normally stable even at elevated temperatures and pressures. Avoid temperatures above or near to the flash point. Not pyrophoric nor reactive with water. Does not undergo explosive decomposition, is shock stable, and is not an oxygen donor. Does not form explosive mixtures with other organic materials. Will not undergo hazardous exothermic polymerization.

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Avoid temperatures above or at least 5 °C below flash point for any flammable liquids.

Do not heat closed containers.

Avoid contact with oxidizing agents.

10.5 Incompatible materials

Avoid strong oxidizing agents.

10.6 Hazardous decomposition products

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

11 TOXICOLOGICAL INFORMATION

Reference: US

11.1 Information on toxicological effects

21025286

This mixture has not been subjected to toxicological testing as an entity. According to available data on the constituents the health classification criteria are met.

> Revised on: 26 February 2022 / v 11 Date of printing: 28-JUN-2022

Product: P76U935 - BAHAMA BREEZE

9 / 13 Page

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

(a) acute toxicity

Calculated LD50 Oral: 300 < LD50 =< 2000 mg/kg bw

(b) skin corrosion/irritation Not applicable

(c) serious eye damage/irritation Eye Irritation - Cat.2A

(d) respiratory or skin sensitisation Skin Sensitization - Cat. 1

(e) germ cell mutagenicity Not applicable

(f) carcinogenicity Not applicable

(g) reproductive toxicity Not applicable

(h) STOT-single exposure Not applicable

(i) STOT-repeated exposure Not applicable

(j) aspiration hazard Not applicable

12 ECOLOGICAL INFORMATION

This mixture has not been subjected to ecotoxicological testing as an entity. According to available data on the constituents the environmental classification criteria are met.

12.1 Toxicity
Environmental Hazard (acute) - Cat. 1
Environmental Hazard (chronic) - Cat. 2

21025286

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential No data available

Reference: US

Revised on : 26 February 2022 / v 11 Date of printing : 28-JUN-2022

Product : P76U935 - BAHAMA BREEZE

Page 10 / 13

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

Not applicable

12.6 Other adverse effects

No data available

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: The product should be handled according to the instructions given under sections 6, 7 and 8. Dispose of according to local or national regulations. The product should not be allowed to enter drains or the environment.

Contaminated packaging: Empty packaging should be disposed according to local or national regulations by an approved waste handling

14 TRANSPORT INFORMATION

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

UNO

Reference: US

UN-No: 3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

(Hexahydrohexamethylindenopyran)

Class: 9 Packing Group: III

Hazardous to the Environment

Land transport (ADR/RID)

UN-No: 3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(HEXAHYDROHEXAMETHYLINDENOPYRAN)

Class: 9 Packing group: III

Sea transport (IMDG-Code)

UN-No: 3082

21025286

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(HEXAHYDROHEXAMETHYLINDENOPYRAN)

Class: 9
Packing group: III

Marine pollutant

Revised on : 26 February 2022 / v 11 Date of printing : 28-JUN-2022 Product : P76U935 - BAHAMA BREEZE

Page 11 / 13

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Air transport (ICAO-IATA)

UN-No: 3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

(Hexahydrohexamethylindenopyran)

Class: 9
Packing group: III

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

This mixture contains no toxic chemical or chemicals subject to reporting requirements of Section 313 of Title III of the Superfund Amendements and Reauthorization Act of 1986 and 29 CFR Part 1910.1200.

15.2 Chemical Safety Assessment

No data available at this time.

16 OTHER INFORMATION

Revisions

February-2022: Version 11 - Updates to sections 1, 2, 3, 8, 9, 11, 12, 14, 15, 16

Key literature references

RIFM database OECD SIDS EU IUCLID

Supplier information

Full text of phrases used under section 2

21025286

Reference: US

H302	Harmful if swallowed.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H227 Combustible liquid

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do no eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Revised on: 26 February 2022 / v 11

Date of printing: 28-JUN-2022

Product: P76U935 - BAHAMA BREEZE

Page 12 / 13

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P370+P378 In case of fire: Use appropriate fire extinguishers for fire control.

P391 Collect spillage. P330 Rinse mouth.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P363 Wash contaminated clothing before reuse. P403+P235 Store in a well-ventilated place. Keep cool.

P337 If eye irritation persists:

Full text of phrases used under section 3

H226 H227	Flammable liquid and vapour. Combustible liquid
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of PPA Industries Inc. it is the user's obligation to determine conditions of safe use of the product.

Information contained in this document and related material is proprietary to PPA Industries Inc. Disclosure to third parties without the prior written consent of PPA Industries Inc. except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.

Revised on: 26 February 2022 / v 11 Date of printing: 28-JUN-2022

Product : P76U935 - BAHAMA BREEZE

Page 13 / 13

21025286

Reference: US